


Psychotherapy Clinic, Research & Training Institute Postgraduate School of Brief Strategic Psychotherapy



Tiziana Verbitz

The Evolution of Eating Disorders: Diagnosis and Treatment of Anorexia

> www.terapiastrategica.fvg.it t.verbitz@iol.it




Psychotherapy Clinic, Research & Training Institute Postgraduate School of Brief Strategic Psychotherapy



HOW THERAPY PROTOCOL HAS CHANGED



Psychotherapy Clinic, Research & Training Institute Postgraduate School of Brief Strategic Psychotherapy




HIMSELF-HIMSELF

HIMSELF-OTHERS



Psychotherapy Clinic, Research & Training Institute Postgraduate School of Brief Strategic Psychotherapy




HIMSELF-HIMSELF

HIMSELF-OTHERS



when one relationship changes



the other two change as a consequence



we change therapeutically one relationship

in order to change the others



social mutations involve changes in the relationship self/world

and therefore between self/others and self/self



Psychotherapy Clinic, Research & Training Institute Postgraduate School of Brief Strategic Psychotherapy

Pathologies structure changes as a consequence



intervention structure

<u>must fit</u>

pathology structure



Psychotherapy Clinic, Research & Training Institute Postgraduate School of Brief Strategic Psychotherapy

intervention structure

must change as well



10

years

ago

CENTRO DI TERAPIA STRATEGICA Psychotherapy Clinic, Research & Training Institute Postgraduate School of Brief Strategic Psychotherapy

- patients: late adolescence girls and young women with chronic situations
- mixed family type intervention
- Iarge space for individual work
 - stimulate the capacity to feel sensations
 - to the family: to observe without intervening



families less attentive

father in a lateral position

father who delegates

mother more central

dyad mother-daughter

10

years

ago



Psychotherapy Clinic, Research & Training Institute Postgraduate School of Brief Strategic Psychotherapy

....and today...?





very young patients in initial phase of disorder

•families very attentive

now - families hyper-protective

father more central

•both parents hostages

•parents incapable of prescribing anything



Psychotherapy Clinic, Research & Training Institute Postgraduate School of Brief Strategic Psychotherapy

steps within the first session:



<u>1° step</u>: parents'interview

creation of therapeutic anxiety

changeover inevitable



Psychotherapy Clinic, Research & Training Institute Postgraduate School of Brief Strategic Psychotherapy





Psychotherapy Clinic, Research & Training Institute Postgraduate School of Brief Strategic Psychotherapy

2° step:

alliance with the girl

evocative immage

changeover inevitable



Psychotherapy Clinic, Research & Training Institute Postgraduate School of Brief Strategic Psychotherapy





Psychotherapy Clinic, Research & Training Institute Postgraduate School of Brief Strategic Psychotherapy

<u>3° step</u>:

to open a future scenary

to create a classification of food predilections



Psychotherapy Clinic, Research & Training Institute Postgraduate School of Brief Strategic Psychotherapy



investigation with the parents:

what does she really eat?



Psychotherapy Clinic, Research & Training Institute Postgraduate School of Brief Strategic Psychotherapy







"if things stay the way they are,

will you be able to avoid the catheter and the "baloon"?"



Psychotherapy Clinic, Research & Training Institute Postgraduate School of Brief Strategic Psychotherapy

6° step:

barganing

on a food planning



Psychotherapy Clinic, Research & Training Institute Postgraduate School of Brief Strategic Psychotherapy

10years ago

No blaming parents No talking about food No barganing what to eat



CENTRO DI TERAPIA STRATEGICA Psychotherapy Clinic, Research & Training Institute

Postgraduate School of Brief Strategic Psychotherapy

nowadays

Blaming of the parents

Talking about food

Barganing and making arrangements for everything



we only talk about food

and don't touch

other areas





CENTRO DI TERAPIA STRATEGICA Psychotherapy Clinic, Research & Training Institute

Postgraduate School of Brief Strategic Psychotherapy

Chronic older anorexics:

anorexia lasting for at least 5 years and in case repetead hospitalizations



Psychotherapy Clinic, Research & Training Institute Postgraduate School of Brief Strategic Psychotherapy





Psychotherapy Clinic, Research & Training Institute Postgraduate School of Brief Strategic Psychotherapy



close investigation on therapeutic attempted solutions



Psychotherapy Clinic, Research & Training Institute Postgraduate School of Brief Strategic Psychotherapy

Aim:

to create the need of something totally different



Psychotherapy Clinic, Research & Training Institute Postgraduate School of Brief Strategic Psychotherapy



Life and misery The splendour of the rubble



Psychotherapy Clinic, Research & Training Institute Postgraduate School of Brief Strategic Psychotherapy



to create such a heavy pathos so that the changeover becomes inevitable



Psychotherapy Clinic, Research & Training Institute Postgraduate School of Brief Strategic Psychotherapy



perscription of the smallest food transgression



Psychotherapy Clinic, Research & Training Institute Postgraduate School of Brief Strategic Psychotherapy



introduction of a minimal change in order to break the rigid "script"



In both protocol:

use of very strong evocative-analogical language



Psychotherapy Clinic, Research & Training Institute Postgraduate School of Brief Strategic Psychotherapy



to make not only understand but to make also "feel"



a protocol is a very

flexible instrument

and it must fit always

the problem structure



The "razor" of Ockham:

"It is futile to do with more things that which can be done with fewer"